

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0110

IntraProfil

CD60

Type No.:

00100xx

1. Unique identification code of the product:

EN 14195 -C/27/60/27/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CD-Profile 60/27/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)


Rödelsee, 13.02.2023



IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0108

IntraProfil

CD60

Type No.:

00101xx

1. Unique identification code of the product:

EN 14195 -C/27/60/27/07

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CD-Profile 60/27/07

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0160

IntraProfil

CW50

Type No.:

00112xx

1. Unique identification code of the product:

EN 14195 -C/47/48.8/48.5/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 50/50/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

IntraProfil

Type No.:

Ref.No.: 0161

CW50

00111xx

1. Unique identification code of the product:

EN 14195 -C/47/48.8/48.5/10

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 50/50/10

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0170
CW75
00114xx

1. Unique identification code of the product:

EN 14195 -C/47/73.8/48.5/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 75/50/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0171
CW75
00117xx

1. Unique identification code of the product:

EN 14195 -C/47/73.8/48.5/10

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 75/50/10

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0180

IntraProfil

CW100

Type No.:

00116xx

1. Unique identification code of the product:

EN 14195 -C/47/98.8/48.5/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 100/50/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0181
CW100
00116xx

1. Unique identification code of the product:

EN 14195 -C/47/98.8/48.5/10

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 100/50/10

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0240
CW125
00118xx

1. Unique identification code of the product:

EN 14195 -C/47/123.8/48.5/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 125/50/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0250
CW150
00119xx

1. Unique identification code of the product:

EN 14195 -C/47/148.8/48.5/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil CW-Profile 150/50/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 13.02.2023

 **IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0190

IntraProfil

UA50

Type No.:

0080xx

1. Unique identification code of the product:

EN 14195 -U/40/48.8/40/20

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UA-Profile 50/40/20

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	330 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023


IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

IntraProfil

Type No.:

Ref.No.: 0200

UA75

0081xx

1. Unique identification code of the product:

EN 14195 -U/40/73.8/40/20

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UA-Profile 75/40/20

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	330 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023


IntraProfil
Bausysteme

IntraProfil
DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098
IntraProfil
Type No.:

Ref.No.: 0210
UA100
0082xx

1. Unique identification code of the product:

EN 14195 -U/40/98.8/40/20

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UA-Profile 100/40/20

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	330 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)


Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

IntraProfil

Type No.:

Ref.No.: 0260

UA125

0083xx

1. Unique identification code of the product:

EN 14195 -U/40/123.8/40/20

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UA-Profile 125/40/20

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	330 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

IntraProfil

Type No.:

Ref.No.: 0270

UA150

0084xx

1. Unique identification code of the product:

EN 14195 -U/40/148.8/40/20

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UA-Profile 150/40/20

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	330 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

 **IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0120

IntraProfil

UD28

Type No.:

00120xx

1. Unique identification code of the product:

EN 14195 -U/27/28/27/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UD-Profile 28/27/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0130

IntraProfil

UW50

Type No.:

00122xx

1. Unique identification code of the product:

EN 14195 -U/40/50/40/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UW-Profile 50/40/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

 **IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0140

IntraProfil

UW75

Type No.:

00124xx

1. Unique identification code of the product:

EN 14195 -U/40/75/40/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UW-Profile 75/40/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0150

IntraProfil

UW100

Type No.:

00126xx

1. Unique identification code of the product:

EN 14195 -U/40/100/40/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UW-Profile 100/40/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0220

IntraProfil

UW125

Type No.:

00127xx

1. Unique identification code of the product:

EN 14195 -U/40/125/40/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UW-Profile 125/40/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

**IntraProfil**
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

NB 0098

Ref.No.: 0230

IntraProfil

UW150

Type No.:

00128xx

1. Unique identification code of the product:

EN 14195 -U/40/150/40/06

2. Type, Batch or Serial Number or another identifier for identification in accordance with Article 11(4):

IntraProfil UW-Profile 150/40/06

3. Use intended by the manufacturer or intended for the construction product, in accordance with the applicable harmonized technical specification:

Metal profiles for substructures of plasterboard systems in building structures

4. Name, registered trade name or trademark and contact address of the manufacturer in accordance with Article 11(5):

IntraProfil Bausysteme GmbH

Am Wald 7

97348 Rödelsee

5. System of assessment and verification of constancy of performance of the construction product in accordance with Annex V:

System 4

6. In the case of a Declaration of Performance applying to a construction product that is covered by a harmonized standard:

Initial testing of the product and in-house production control by the manufacturer in accordance with DIN EN ISO 9001:2015

7. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195
Flexural strength	270 N/mm ²	EN 14195
Hazardous substances	NPD (no performance determined)	EN 14195

8. The performance in accordance with Number 1 and 2 corresponds to the declared performance in accordance with Number 7. This declaration of performance is issued under the sole responsibility of the manufacturer to Number 4.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch

(Managing Director)

Rödelsee, 13.02.2023

IntraProfil
Bausysteme