

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

IntraProfil
Type No.:

Ref.No.: 0190

UA50

0080xx

1. Unique identification code of the product:

EN 14195 - U/40/48.8/40/20 (Trade name: *IntraProfil UA profile 50/40/20 / UA50*)

2. Type, Batch or Serial Number for identification:

Type No.: 0080xx (in accordance with Article 11(4) of the Construction Products Regulation)

3. Use intended by the manufacturer:

Metal profiles for substructures of plasterboard systems in building structures

4. Name and contact address of the manufacturer:

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee
Germany

5. System or systems for assessing and verifying consistency of performance (AVCP):

System 4

6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195:2005/AC:2006
Flexural strength	330 N/mm ²	EN 14195:2005/AC:2006

7. Declaration and responsibility

The performance of the product as set out in points 1 and 2 corresponds to the declared performance as set out in point 6. By drawing up this Declaration of Performance and Conformity, the manufacturer referred to in point 4 assumes sole responsibility for the conformity of the construction product with the declared performance and for compliance with all applicable requirements.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 22.06.2026



IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

IntraProfil
Type No.:

Ref.No.: 0200

UA75

0081xx

1. Unique identification code of the product:

EN 14195 - U/40/73.8/40/20 (Trade name: *IntraProfil UA profile 75/40/20 / UA75*)

2. Type, Batch or Serial Number for identification:

Type No.: 0081xx (in accordance with Article 11(4) of the Construction Products Regulation)

3. Use intended by the manufacturer:

Metal profiles for substructures of plasterboard systems in building structures

4. Name and contact address of the manufacturer:

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee
Germany

5. System or systems for assessing and verifying consistency of performance (AVCP):

System 4

6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195:2005/AC:2006
Flexural strength	270 N/mm ²	EN 14195:2005/AC:2006

7. Declaration and responsibility

The performance of the product as set out in points 1 and 2 corresponds to the declared performance as set out in point 6. By drawing up this Declaration of Performance and Conformity, the manufacturer referred to in point 4 assumes sole responsibility for the conformity of the construction product with the declared performance and for compliance with all applicable requirements.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 22.06.2026

IntraProfil
Bausysteme

IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

IntraProfil
Type No.:

Ref.No.: 0210
UA100
0082xx

1. Unique identification code of the product:

EN 14195 - U/40/98.8/40/20 (Trade name: *IntraProfil UA profile 100/40/20 / UA100*)

2. Type, Batch or Serial Number for identification:

Type No.: 0082xx (in accordance with Article 11(4) of the Construction Products Regulation)

3. Use intended by the manufacturer:

Metal profiles for substructures of plasterboard systems in building structures

4. Name and contact address of the manufacturer:

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee
Germany

5. System or systems for assessing and verifying consistency of performance (AVCP):

System 4

6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195:2005/AC:2006
Flexural strength	330 N/mm ²	EN 14195:2005/AC:2006

7. Declaration and responsibility

The performance of the product as set out in points 1 and 2 corresponds to the declared performance as set out in point 6. By drawing up this Declaration of Performance and Conformity, the manufacturer referred to in point 4 assumes sole responsibility for the conformity of the construction product with the declared performance and for compliance with all applicable requirements.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)


Rödelsee, 22.06.2026



IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

IntraProfil
Type No.:

Ref.No.: 0260

UA125

0083xx

1. Unique identification code of the product:

EN 14195 - U/40/123.8/40/20 (Trade name: *IntraProfil UA profile 125/40/20 / UA125*)

2. Type, Batch or Serial Number for identification:

Type No.: 0083xx (in accordance with Article 11(4) of the Construction Products Regulation)

3. Use intended by the manufacturer:

Metal profiles for substructures of plasterboard systems in building structures

4. Name and contact address of the manufacturer:

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee
Germany

5. System or systems for assessing and verifying consistency of performance (AVCP):

System 4

6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195:2005/AC:2006
Flexural strength	330 N/mm ²	EN 14195:2005/AC:2006

7. Declaration and responsibility

The performance of the product as set out in points 1 and 2 corresponds to the declared performance as set out in point 6. By drawing up this Declaration of Performance and Conformity, the manufacturer referred to in point 4 assumes sole responsibility for the conformity of the construction product with the declared performance and for compliance with all applicable requirements.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 22.06.2026



IntraProfil DECLARATION OF PERFORMANCE

In accordance with Annex III to Regulation (EC) No. 305/2011

Figure:



2009

IntraProfil
Type No.:

Ref.No.: 0270
UA150
0084xx

1. Unique identification code of the product:

EN 14195 - U/40/148.8/40/20 (Trade name: *IntraProfil UA profile 150/40/20 / UA150*)

2. Type, Batch or Serial Number for identification:

Type No.: 0084xx (in accordance with Article 11(4) of the Construction Products Regulation)

3. Use intended by the manufacturer:

Metal profiles for substructures of plasterboard systems in building structures

4. Name and contact address of the manufacturer:

IntraProfil Bausysteme GmbH
Am Wald 7
97348 Rödelsee
Germany

5. System or systems for assessing and verifying consistency of performance (AVCP):

System 4

6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Fire behavior	A1	EN 14195:2005/AC:2006
Flexural strength	270 N/mm ²	EN 14195:2005/AC:2006

7. Declaration and responsibility

The performance of the product as set out in points 1 and 2 corresponds to the declared performance as set out in point 6. By drawing up this Declaration of Performance and Conformity, the manufacturer referred to in point 4 assumes sole responsibility for the conformity of the construction product with the declared performance and for compliance with all applicable requirements.

Signed for the manufacturer and on behalf of the manufacturer by:

Martin Czasch
(Managing Director)

Rödelsee, 22.06.2026

